

# TRIMAYA HEALTHCARE PVT. LTD.

## Product List

### Large Volume Parenterals and Infusions - Non Beta Lactum

S.No.	Products	Claim	Pack size	Uses
1	DEXTROSE 5% INJ	Each 100 ml contains Dextrose (Anhydrous) 5 gm Water for Injections q.s.	500 ML	Dextrose Infusion is used for short term fluid replacement. It works by replenishing fluid loss. Thus, it treats hypovolemia that can result due to dehydration, injury, or burns.
2	DEXTROSE 10% INJ	Each 100 ml contains Dextrose (Anhydrous) 10 gm Water for Injections q.s.	500ML	
3	DEXTROSE SALINE 0.9% INJ	Each 100 ml contains Dextrose (Anhydrous) 5 gm Sodium Chloride 0.9 gm Water for Injections q.s.	500ML	Intravenous solutions containing dextrose and sodium chloride are indicated for parenteral replenishment of fluid, minimal carbohydrate calories, and sodium chloride as required by the clinical condition of the patient.
4	SODIUM CHLORIDE 0.9% INJ	Each 100 ml contains Sodium Chloride 0.9 gm Water for Injections q.s.	500ML	It is used for short term fluid replacement. Thus, it treats hypovolemia that can result due to any dehydration, or injury. It helps to restore the salt and electrolyte levels in the body.
5	COMPOUND SODIUM LACTATE INTRAVENOUS INFUSION	Each 100 ml contains Sodium Lactate Solution Eqv to Sodium Lactate 0.32 gm Sodium Chloride 0.60 gm Potassium Chloride 0.040 gm Calcium Chloride 0.027 gm Water for Injections q.s.	500ML	Restoration of extracellular fluid and electrolytes balances or replacement of extracellular fluid loss where isotonic concentrations of electrolytes are sufficient  Short term volume replacement (alone or in association with colloid) in case of hypovolaemia or hypotension.  Regulation or maintenance of metabolic acidosis balance and/or treatment of mild to moderate metabolic acidosis (except lactic acidosis)
6	LACTATED RINGER'S INJECTION	Each 100 ml contains Sodium Lactate Solution Eqv to Sodium Lactate 0.31 gm Sodium Chloride 0.60 gm Potassium Chloride 0.030 gm Calcium Chloride 0.020 gm Water for Injections q.s.	500ML	a source of water and electrolytes or as an alkalinizing agent produces a metabolic alkalinizing effect. Lactate ions are metabolized ultimately to carbon dioxide and water, which requires the consumption of hydrogen cations.

7	MULTIPLE ELECTROLYTES AND DEXTROSE INJ -P	Each 100 ml contains Dextrose Anhydrous 5.00gm Potassium Chloride 0.13gm Dipotassium Hydrogen Phosphate 0.026gm Sodium Acetate 0.32gm Magnesium Chloride 0.031 gm Water for Injections q.s.	<b>500ML</b>	It is indicated as a source of water, electrolytes, and calories, or as an alkalinizing agent.
8	MULTIPLE ELECTROLYTES AND DEXTROSE INJ TYPE -M	Each 100 ml contains Dextrose Anhydrous 5.00gm Sodium Chloride 0.10gm Potassium Chloride 0.15gm Dipotassium Hydrogen Phosphate 0.13gm Sodium Acetate 0.28gm Water for Injections q.s.	<b>500ML</b>	It is indicated as a source of water, electrolytes, and calories, or as an alkalinizing agent.
9	DNS 0.45% INJ	Each 100 ml contains Dextrose (Anhydrous) 5 gm Sodium Chloride 0.45 gm Water for Injections q.s.	<b>500ML</b>	Intravenous solutions containing dextrose and sodium chloride are indicated for parenteral replenishment of fluid, minimal carbohydrate calories, and sodium chloride as required by the clinical condition of the patient.
10	GLUCOSE INTRAVENOUS INFUSION 5%	Each 100 ml contains Anhydrous Glucose 5 gm Water for Injections q.s.	<b>500ML</b>	The treatment of carbohydrate and fluid depletion. Glucose 5% is also used as a vehicle and diluent for compatible medicinal products for parenteral administration
11	GLUCOSE INTRAVENOUS INFUSION 10%	Each 100 ml contains Anhydrous Glucose 10 gm Water for Injections q.s.	<b>500ML</b>	The treatment of carbohydrate and fluid depletion. Glucose 10% is also used as a vehicle and diluent for compatible medicinal products for parenteral administration
12	SODIUM CHLORIDE AND GLUCOSE INTRAVENOUS INFUSION (0.9% & 5%)	Each 100 ml contains Anhydrous Glucose 5 gm Sodium Chloride 0.9 gm Water for Injections q.s.	<b>500ML</b>	Treatment of sodium depletion, extracellular dehydration or hypovolaemia in cases where supply of water and carbohydrates is required due to restriction of the intake of fluids and electrolytes by normal routes
13	METRONIDAZOLE INJ	Each 100 ml contains Metronidazole 500mg Water for Injections q.s.	<b>100ML</b>	The prophylaxis of pre/postoperative infections due to sensitive anaerobic bacteria particularly species of Bacteroides and anaerobic Streptococci, during abdominal, gynaecological, gastrointestinal or colorectal surgery which carries a high risk of occurrence of this type of infection. The solution may also be used in combination with an antibiotic active against aerobic bacteria.  - The treatment of severe intraabdominal and gynaecological infections in which sensitive anaerobic bacteria particularly Bacteriodes and anaerobic
14	SODIUM CHLORIDE 0.9% INJ	Each 100 ml contains Sodium Chloride 0.9 gm Water for Injections q.s.	<b>100ML</b>	It is used for short term fluid replacement. Thus, it treats hypovolemia that can result due to any dehydration, or injury. It helps to restore the salt and electrolyte levels in the body.

15	CIPROFLOXACIN INJ	Each 100 ml contains Ciprofoxacin Hydrochloride eqv to Ciprofoxacin 200mg Sodium Chloride 900mg Water for Injections q.s.	<b>100ML</b>	Adults <ul style="list-style-type: none"> <li>• Lower respiratory tract infections due to Gram-negative bacteria</li> <li>• Chronic suppurative otitis media</li> <li>• Acute exacerbation of chronic sinusitis especially if these are caused by Gram-negative bacteria</li> <li>• Urinary tract infections</li> <li>• Bacterial prostatitis</li> </ul>
16	MANITOL 20%	Each 100 ml contains Mannitol 20gm Water for Injections q.s.	<b>100ML</b>	<ul style="list-style-type: none"> <li>• Promotion of diuresis in the prevention and/or treatment of the oliguric phase of acute renal failure before irreversible renal failure becomes established.</li> <li>• Reduction of intracranial pressure and cerebral oedema, when blood-barrier is intact.</li> <li>• Reduction of elevated intraocular pressure when it cannot be lowered by other means.</li> <li>• Promotion of elimination of renally excreted toxic substances in poisoning.</li> </ul>
17	LEVOFLOXACIN INJ	Each 100ml contains Levofloxacin Hemihydrates eqv Levofloxacin 500mg Water for Injections q.s.	<b>100ML</b>	<ul style="list-style-type: none"> <li>• Community-acquired pneumonia</li> <li>• Complicated skin and soft tissue infections</li> <li>• Acute pyelonephritis and complicated urinary tract infections</li> <li>• Chronic bacterial prostatitis</li> <li>• Inhalation Anthrax</li> </ul>
18	OFLOXACIN INJ	Each 100 ml contains Ofloxacin 200mg Sodium Chloride 900mg Water for Injections q.s.	<b>100ML</b>	<ul style="list-style-type: none"> <li>- Acute Pyelonephritis and complicated urinary tract infections</li> <li>- Bacterial prostatitis, epididymo-orchitis</li> <li>- Pelvic inflammatory disease, in combination with other antibacterial agents</li> <li>- Urosepsis</li> <li>- complicated skin and soft-tissue infections</li> <li>- Acute exacerbation of chronic obstructive pulmonary disease including bronchitis</li> <li>- Community acquired pneumonia</li> </ul>
19	DEXTROSE 25% INJ	Each 100 ml contains Dextrose (Anhydrous) 25 gm Water for Injections q.s.	<b>100ML</b>	Dextrose Infusion is used for short term fluid replacement. It works by replenishing fluid loss. Thus, it treats hypovolemia that can result due to dehydration, injury, or burns.
20	PARACETAMOL INJ	Each 100 ml contains Paracetamol 1.0gm Water for Injections q.s.	<b>100ML</b>	Short-term treatment of moderate pain, especially following surgery, and for the short-term treatment of fever, when administration by intravenous route is clinically justified by an urgent need to treat pain or hyperthermia and/or when other routes of administration are not possible.
21	SODIUM CHLORIDE 3% INJ	Each 100 ml contains Sodium Chloride 3.0 gm Water for Injections q.s.	<b>100ML</b>	It is used for short term fluid replacement. Thus, it treats hypovolemia that can result due to any dehydration, or injury. It helps to restore the salt and electrolyte levels in the body.

# TRIMAYA HEALTHCARE PVT. LTD

## Product List

### DRY Powder Injection - Penicillin Group

Sl.No	Products	Claim	Pack size	Vial Size	Uses
1	AMOXYCILLIN & POTASSIUM CLAVULANATE INJ. 300 mg	Each Vial Contains: Amoxicillin Sodium Sterile Eqv. Amoxicillin 250 mg. & Potassium Clavulanate Sterile Eqv. Clavulanic Acid 50 mg	300 MG	10.0 ml	<ul style="list-style-type: none"> <li>• Acute bacterial sinusitis</li> <li>• Acute otitis media</li> </ul>
2	AMOXYCILLIN & POTASSIUM CLAVULANATE INJ. 600 mg	Each Vial Contains: Amoxicillin Sodium Sterile Eqv. Amoxicillin 500 mg. & Potassium Clavulanate Sterile Eqv. Clavulanic Acid 100 mg	600 MG	10.0 ml	<ul style="list-style-type: none"> <li>• Acute exacerbations of chronic bronchitis (adequately diagnosed)</li> <li>• Community acquired pneumonia</li> <li>• Cystitis</li> </ul>
3	AMOXYCILLIN & POTASSIUM CLAVULANATE INJ. 1200 mg	Each Vial Contains: Amoxicillin Sodium Sterile Eqv. Amoxicillin 1000 mg. & Potassium Clavulanate Sterile Eqv. Clavulanic Acid 200 mg	1200 MG	20.0 ml	<ul style="list-style-type: none"> <li>• Pyelonephritis</li> <li>• Skin and soft tissue infections in particular cellulitis, animal bites, severe dental abscess with spreading cellulitis.</li> <li>• Bone and joint infections, in particular osteomyelitis.</li> </ul>
				30.0 ml	
4	PIPERACILLIN AND TAZOBACTAM INJ + WFI 2.25 gm	Each Vial Contains, Piperacillin Sodium Eqv To Piperacillin 2 gm and Tazobactam Sodium Eqv. To Tazobactam 250 mg	2.25 GM	20.0 ml	<ul style="list-style-type: none"> <li>• Severe pneumonia including hospital-acquired and ventilator-associated pneumonia</li> <li>• Complicated urinary tract infections (including pyelonephritis)</li> </ul>
5	PIPERACILLIN AND TAZOBACTAM INJ + WFI 4.5 gm	Each Vial Contains, Piperacillin Sodium Eqv To Piperacillin 4 gm and Tazobactam Sodium Eqv. To Tazobactam 500 mg	4.5 GM	20.0 ml	<ul style="list-style-type: none"> <li>• Complicated intra-abdominal infections</li> <li>• Complicated skin and soft tissue infections (including diabetic foot infections)</li> <li>• Complicated intra-abdominal infections</li> </ul>
				30.0 ml	
6	MEROPENEM + WFI 250 mg	Each Vial Contains Meropenem Eqv. To Meropenem Anhydrous 250 mg	250 MG	10.0 ml	
7	MEROPENEM + WFI 500 mg	Each Vial Contains Meropenem Eqv. To Meropenem Anhydrous 500 mg	500 MG	10.0 ml	<ul style="list-style-type: none"> <li>• Severe pneumonia, including hospital and ventilator-associated pneumonia</li> <li>• Broncho-pulmonary infections in cystic fibrosis</li> </ul>
8	MEROPENEM + WFI 1000 mg	Each Vial Contains Meropenem Eqv. To Meropenem Anhydrous 1000 mg	1 GM	20.0 ml	

				30.0 ml	<ul style="list-style-type: none"> <li>Intra- and post-partum infections</li> <li>Complicated skin and soft tissue infections</li> </ul>
9	MEROPENEM + WFI 2000 mg	Each Vial Contains Meropenem Eqv. To Meropenem Anhydrous 2000 mg	1 GM	10.0 ml 20.0 ml 30.0 ml	<ul style="list-style-type: none"> <li>Acute bacterial meningitis</li> <li>Meropenem may be used in the management of neutropenic patients with fever that is suspected to be due to a bacterial infection.</li> </ul>
10	IMIPENEM + CILASTATIN + WFI 250 MG+250 MG	Each Vial Contains: Imipenem 250 Mg (Anhydrous Eqv.) Cilastatin Sodium Eqv. To Cilastatin 250 Mg	250 MG+250 MG	10.0 ml	<ul style="list-style-type: none"> <li>complicated intra-abdominal infections</li> <li>severe pneumonia including hospital and ventilator-associated pneumonia</li> </ul>
11	IMIPENEM + CILASTATIN + WFI 500 MG+500 MG	Each Vial Contains: Imipenem 500 Mg (Anhydrous Eqv.) Cilastatin Sodium Eqv. To Cilastatin 500 Mg	500 MG+500 MG	20.0 ml	<ul style="list-style-type: none"> <li>intra- and post-partum infections</li> <li>complicated urinary tract infections</li> <li>complicated skin and soft-tissue infections</li> </ul>
12	MEROPENEM + SULBACTAM 1.5 gm	Each Vial Contains: Meropenem 1000 mg (Anhydrous Basis) Sulbactam Sodium Eqv. To Sulbactam 500 mg	1.5 GM	20.0 ml	<ul style="list-style-type: none"> <li>Sexually transmitted diseases,</li> <li>Acute bacterial meningitis,</li> <li>Pulmonary infection in cystic fibrosis,</li> <li>Community and/or nosocomial pneumonia,</li> <li>Complicated intra-abdominal infections,</li> <li>Obstetrical infections</li> <li>Management of febrile neutropenic patients.</li> </ul>

### DRY Powder Injection - Cephalosporin Group

S.No.	Products	Claim	Pack size	Vial Size	Uses
1	CEFOTAXIME INJ without WFI	Each Vial Contains: Cefotaxime Sodium Sterile Eqv . to Cefotaxime 250 mg	250 MG	7.50 ml 10.0 ml	
2	CEFOTAXIME INJ + WFI	Each Vial Contains: Cefotaxime Sodium Sterile Eqv . to Cefotaxime 500 mg	500 MG	10.0 ml 20.0 ml 30.0 ml	<ul style="list-style-type: none"> <li>Lower respiratory tract infections, including pneumonia.</li> <li>Genitourinary infections</li> <li>Gynecologic infections, including pelvic inflammatory disease, endometritis and pelvic cellulitis</li> <li>skin structure infections</li> <li>Intra-abdominal infections including peritonitis</li> <li>Central nervous system infections like meningitis and ventriculitis</li> </ul>

3	CEFOTAXIME INJ + WFI	Each Vial Contains: Cefotaxime Sodium Sterile Eqv . to Cefotaxime 1000 mg	1000 MG	10.0 ml	<ul style="list-style-type: none"> <li>• Lower Respiratory Tract Infections .</li> <li>• Acute Bacterial Otitis Media</li> <li>• Skin And Skin Structure Infections</li> <li>• Urinary Tract Infections (Complicated And Uncomplicated)</li> <li>• Uncomplicated Gonorrhea (Cervical/Urethral And Rectal)</li> <li>• Pelvic Inflammatory Disease</li> <li>• Bacterial Septicemia</li> <li>• Bone And Joint Infections</li> <li>• Intra-Abdominal Infections .</li> <li>• Meningitis</li> </ul>
				20.0 ml	
				30.0 ml	
4	CEFTRIAXONE INJ without WFI	Each Vial Contains: Ceftriaxone Sodium Sterile Eqv . to Ceftriaxone 250 mg	250 MG	7.50 ml	
				10.0 ml	
5	CEFTRIAXONE INJ + WFI	Each Vial Contains: Ceftriaxone Sodium Sterile Eqv . to Ceftriaxone 500 mg	500 MG	10.0 ml	
				20.0 ml	
				30.0 ml	
6	CEFTRIAXONE INJ + WFI	Each Vial Contains: Ceftriaxone Sodium Sterile Eqv . to Ceftriaxone 1000 mg	1000 MG	10.0 ml	
				20.0 ml	
				30.0 ml	
7	CEFTAZIDIME INJ	Each Vial Contains: Ceftazidime Sterile Eqv . to Ceftazidime 250 mg	250 MG	7.50 ml	
				10.0 ml	
8	CEFTAZIDIME INJ	Each Vial Contains: Ceftazidime Sterile Eqv . to Ceftazidime 500 mg	500 MG	10.0 ml	
				20.0 ml	
				30.0 ml	
9	CEFTAZIDIME INJ	Each Vial Contains: Ceftazidime Sterile Eqv . to Ceftazidime 500 mg	1000 MG	10.0 ml	
				20.0 ml	
				30.0 ml	
10	CEFOPARAZONE INJ	Each Vial Contains: Cefoperazone Sodium Sterile Eqv. to Cefoperazone 250 mg	250 MG	7.50 ml	
				10.0 ml	
11	CEFOPARAZONE INJ	Each Vial Contains: Cefoperazone Sodium Sterile Eqv. to Cefoperazone 500 mg	500 MG	10.0 ml	
				20.0 ml	
				30.0 ml	

12	CEFOPARAZONE INJ	Each Vial Contains: Cefoperazone Sodium Sterile Eqv. to Cefoperazone 1000 mg	1000 MG	10.0 ml	• Enterococcal Infections
				20.0 ml	
				30.0 ml	
13	CEFUROXIME INJ	Each Vial Contains: Cefuroxime Sodium Sterile Eqv. to Cefuroxime 250 mg	250 MG	7.50 ml	
				10.0 ml	
14	CEFUROXIME INJ	Each Vial Contains: Cefuroxime Sodium Sterile Eqv. to Cefuroxime 500 mg	500 MG	10.0 ml	<ul style="list-style-type: none"> <li>• Lower Respiratory Tract Infections</li> <li>• Urinary Tract Infections</li> <li>• Skin and Skin-Structure Infections</li> <li>• Septicemia.</li> <li>• Meningitis</li> <li>• Gonorrhoea</li> <li>• Bone and Joint Infections</li> </ul>
				20.0 ml	
				30.0 ml	
15	CEFUROXIME INJ	Each Vial Contains: Cefuroxime Sodium Sterile Eqv. to Cefuroxime 750 mg	750 MG	10.0 ml	
				20.0 ml	
				30.0 ml	
16	CEFTRIAZONE AND SULBACTAM INJ	Each Vial Contains: Ceftriazone Sodium Sterile Eqv. to Cefuroxime 1000 mg and Sulbactam Sodium Sterile Eqv to Sulbactam 500 mg	1000 MG + 500 MG	10.0 ml	<ul style="list-style-type: none"> <li>• Infections caused by pathogens sensitive to Ceftriazone Injection, e.g.: sepsis; Meningitis;</li> <li>• Abdominal infections (peritonitis, infections of the biliary and gastrointestinal tracts)</li> <li>• Infections of the bones, joints, soft tissue, skin and of wounds;</li> <li>• Infections in patients with impaired defence mechanisms;</li> <li>• Renal and urinary tract infections;</li> <li>• Respiratory tract infections, particularly pneumonia, and ear, nose and throat infections;</li> <li>• Genital infections, including gonorrhoea.</li> <li>• Perioperative prophylaxis of infections.</li> </ul>
				20.0 ml	
				30.0 ml	

# TRIMAYA HEALTHCARE PVT. LTD.

S.No.	COMPOSITION	Dosage Forms
<b>ANTIBIOTICS</b>		
1	Azithromycin 500mg	Tablets
2	Clarithromycin 250mg	Tablets
3	Ofloxacin-200mg	Tablets
4	Amoxicillin 500mg + Potassium Clavulanate 125mg	Tablets
5	Levofloxacin 500mg	Tablets
6	Cefexime 200mg	Tablets
7	Cefexime 200mg + Ofloxacin 200mg	Tablets
8	Cefuroxime Axtil -250mg	Tablets
9	Cefuroxime Axtil -500mg	Tablets
<b>ORTHOCARE</b>		

10	Trypsin 48mg+Bromelin 90mg+Rutoside 100mg	Tablets
11	Diclofenac 100mg (SR)	Tablets
12	Trypsin Chymotrypsin 1.5 lac Armour Unit + Aceclofenac 100mg + Paracetamol 325mg	Tablets
13	Aceclofenac 100mg + Paracetamol 325mg	Tablets
14	Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg	Tablets
15	Aceclofenac 100mg + Paracetamol 325mg + Chlorzoxazone 250mg	Tablets
16	Aceclofenac 200mg (SR)	Tablets
17	Febuxastat 40mg	Tablets
18	Etoricoxib 90mg	Tablets
19	Etoricoxib 120mg	Tablets
20	Etoricoxib 60mg + Thiocolchicoside 4mg	Tablets
21	Calcium Citrate 1000mg + Magnesium Hydroxide 100mg +Zinc Sulphate 4mg + Vitamin D3 20	Tablets

**GASTRO**

22	Drotaverine 80mg + Mefenemic Acid 125mg	Tablets
23	Clidinium Bromide 2.5mg + Chlordiazepoxide 5mg + Dicyclomine Hcl 10mg	Tablets
24	Esomeprazole 40mg + Domperidone 30mg	Capsules
25	Esomeprazole 40mg + Levosulpiride 75mg	Capsules
26	Omeprazole 40mg	Capsules
27	Lansoprazole-30mg	Capsules
28	Levosulpride 25mg	Tablets
29	Ursodeoxycholic Acid 150mg	Tablets
30	Ursodeoxycholic Acid 150mg	Tablets
31	Pantoprazole 40mg	Tablets
32	Pantoprazole 40mg + Domperidon 10mg	Capsules

33	Pantoprazole 40mg + Domperidon 30mg	Capsules
34	Rabeprazole 20mg	Tablets
35	Rabeprazole 20mg + Domperidon 30mg	Capsules
36	Rabeprazole 20mg + Levosulpride 75mg	Capsules
<b>RESPIRATORY</b>		
37	Acebrophylline 100mg	Tablets
38	Montelukast 10mg + Levocetirizine 5mg + Ambroxol 75mg	Tablets
39	Montelukast 10mg + Fexofenadine 120mg	Tablets
40	Montelukast 10mg + Levocetirizine 5mg	Tablets
41	Doxofylline 400mg + Ambroxol Hcl 30mg	Tablets
42	Doxofylline 400mg + Acebrophylline 100mg	Tablets
43	Terbutaline 2.5mg+Guaphensin100mg+Bromhexine 8mg + Menthol 0.5mg	Suspension

44	Ambroxol 15 mg+Terbutaline sulphate 1.25 mg+Guaiphenesin 50mg + Menthol 1mg	Suspension
45	Dextromehorphen10mg+Phenylephrine 5mg +CPM 2mg	Suspension
46	Ambroxol 30mg+Guaiphenesin 50 mg+ Levosalbutamol 1 mg + Menthol 1 mg	Suspension
47	Acebrophylline 100mg	Tablets
48	Acebrophylline 200mg (SR)	Tablets
49	Acebrophylline 100mg + N-Acetyl -L-Cysteine 600mg	Tablets
<b>PAEDIATRIC</b>		
50	Montelukast 4mg + Levocetirizine 2.5mg	Suspension
51	Amoxicillin 250mg + Potassium Clavulanate 62.5mg	Dry powder
52	Clarithromycin Dry Syrup	Dry powder
53	Paracetamol 250mg + CPM 2mg + Phenylpherine 5mg + Sodium Citrate 60mg + Ammonium Chloride 120mg + Menthol 1mg	Suspension
54	Cefixime 100 mg	Suspension

55	Vitamin D3 800IU	Drops
56	Mefenamic Acid 100mg + Paracetamol 250mg	Suspension
<b>MISCELLANEOUS</b>		
57	Carrica Papaya Extract 1100 mg	Capsules
58	Deflazacort 6mg	Tablets
59	Desloratadine 5mg	Tablets
60	Loratadine 10mg	Tablets
61	Fexofenadine 120 mg	Tablets
62	Fexofenadine 180 mg	Tablets
63	Gabapentin 100mg	Capsules
64	Gabapentin-300mg + Methylcobalamin 500mcg	Capsules
65	Itraconazole 100mg	Capsules

66	Itraconazole 200mg	Capsules
67	Pregabalin 75mg + Methylcobalamin 750mcg	Capsules
68	Pregabalin 75mg + Nortryptalin 10mg	Capsules
69	Pregabalin 75mg + Methylcobalamin 1500mcg + Nortryptalin 10mg + Vit. D3 2000 IU	Capsules
70	Pregabalin 75mg + Methylcobalamin 1500mcg + Nortryptalin 10mg	Capsules
71	Lycopene + Multivitamin	Capsules
72	Sucralfate 1gm + Oxetacaine 20mg	Tablets
73	Tamsulosin 0.4mg	Tablets
74	Tamsulosin 0.4mg + Dutasteride 5mg	Tablets
75	Disodium Hhydrogen Citrate IP 1.4gm	Tablets
<b>OINTMENT</b>		
76	Linseed Oil 3% + Diclofenac Diethylamin 1.16% + Methyl Salicylate 10% + Menthol Bold Crystal 5% + Benzyl Alcohol 1%	Ointment

77	Diclofenac Diethylamine 1.16% + Linseed Oil 3% +Thiocolchicoside 0.125% + Methyl Salicylate 10% + Menthol Bold Crystal 5% + Benzyl Alcohol 1%	Ointment
78	Gabapentin 8%+Ketoprofen 5% + Capsicum 0.035% + Methyl Salicylate 5%	Ointment
79	Linseed Oil 3% + Diclofenac Diethylamin 1.16% + Methyl Salicylate 10% + Menthol Bold Crystal 5% + Benzyl Alcohol 1%	Ointment
<b>SOFT GEL CAPSULES</b>		
80	Calcium Citrate Malate 500mg + Magnesium Oxide 50mg + K2-7 45mcg+Vit. D3 200IU + Vit.B12 1mcg+ Folic Acid 200mcg + Zinc Suplhate 7.5mg + Vit. B6 1mg	Soft Gel Capsules
81	Lycopene + Multivitamin+ Multimineral	Soft Gel Capsules
82	Omega 3 Fatty Acid + Green Tea Extract + Lycopene + Multivitamin + Minerals	Soft Gel Capsules
83	Ginseng With Multivitamins & Multiminerals	Soft Gel Capsules
84	Multivitamins And Multiminerals With Antioxidents	Soft Gel Capsules
<b>CARDIO DIABETIC</b>		
85	Cilnidipine 10mg	Tablets
86	Cilnidipine 20mg	Tablets
87	Metformin 500mg (SR)	Tablets

88	Glimepride 2mg + metformin 500mg (SR)	Tablets
89	Ramipril 2.5mg	Tablets
90	Ramipril 5 mg	Tablets
91	Ramipril 5mg + Hydrochlorothiazide 12.5mg	Tablets
92	Metoprolol 25mg (Extended Release)	Tablets
93	Metoprolol 50mg (Extended Release)	Tablets
94	Metoprolol 50mg + Amlodipine 5mg	Tablets
95	Rosuvastatin 10mg	Tablets
96	Rosuvastatin 20mg	Tablets
97	Rosuvastatin 10mg + Clopidogril 75mg + Aspirin 75mg	Tablets
98	Rosuvastatin 20mg + Clopidogril 75mg + Aspirin 75mg	Tablets
99	Ranolazine 500mg (SR)	Tablets

100	Torse mide 10mg	Tablets
101	Torse mide 20mg	Tablets
102	Torse mide 10mg + Spironolactone 50mg	Tablets
103	Telmisartan 20mg	Tablets
104	Telmisartan 40 mg	Tablets
105	Telmisartan 40mg + Hydrochlorothiazide 12.5mg	Tablets
106	Telmisartan 40mg + Chlothiaridon 12.5mg	Tablets
107	Telmisartan 40mg + Amlodipine 5mg	Tablets
108	Telmisartan 40mg + Cilnidipine 10mg	Tablets
109	Telmisartan 80mg	Tablets
110	Telmisartan 80mg + Chlothiaridon 12.5mg	Tablets
111	Tenigliptin 20mg	Tablets

112	Tenigliptin 20mg + metformin 500mg (SR)	Tablets
113	Tenigliptin 20mg + metformin 1000mg (SR)	Tablets
114	Metformin Hydrochloride 1000mg (SR)	Tablets
115	Metformin Hydrochloride 850mg	Tablets
116	Metformin Hydrochloride 500mg	Tablets
117	Voglibose 0.2mg	Tablets
118	Voglibose 0.3mg	Tablets
119	Vildagliptin 50mg	Tablets
120	Vildagliptin 50mg + Metformin 500mg	Tablets
121	Vildagliptin 50mg + Metformin 1000mg	Tablets
122	Isoxsuprine 10mg	Tablets